



RENAULT All Types

Type

S/Section

XXX X

35

This note is a supplement to Technical Note No. 3340A dated NOVEMBER 1999.

Modifications: Additional information.

35 APPROVED TYRES FOR 2001 MODELS

- Engine: **XXX**
- Gearbox: **XXX**

TABLE OF APPROVED TYRES FOR 2001 MODELS SEE OVER

– Reminder of fitting instructions:

- * If the tyre has a **Red Dot** on the flank, fit the tyre with this to the outside.
- * If the tyre does not have a **Red Dot**, fit the tyre with the **DOT** marker to the outside.

– We would like to remind you that it is **VITAL** to check the tyre pressure when preparing new vehicles. In fact, the tyres are overinflated to between **2.5** and **3 bar** in the factory.

"The repair methods given by the manufacturer in this document are based on the technical specifications current when it was prepared.

The methods may be modified as a result of changes introduced by the manufacturer in the production of the various component units and accessories from which his vehicles are constructed."

All copyrights reserved by Renault.

Copying or translating, in part or in full, of this document or use of the service part reference numbering system is forbidden without the prior written authority of Renault.

VEHICLES	DIMENSIONS	CONTINENTAL	DUNLOP	GOODYEAR	KLEBER	MICHELIN	PIRELLI	VARIOUS Firestone Uniroyal
EXTRA	145/70 R 13 S					MXL		
	155 R 13 S		SP ELITE		C1	MXL	P4	F: S211 U: RAL280
	155/70 R 13 S			G PR S	C2	MXL		F: S21MFU
	155/70 R 13 T	CT21	SP6				P2000	U: RAL380
	165/65 R 13 S					MXL		
	165/70 R 13 T	CT21	SP6			MXL	P2000	
KANGOO	165/70 R 13			*				
	165/70 R 13 C		SP9C		CT100	AGILIS 61		
	165/70 R 14	ECO CTC 6204				AGILIS 41		
	165/70 R 14 C	VANCO 6211				AGILIS 51		
TWINGO	145/80 R 13				C801S	MXTE		
	145/80 R 13 S		SP9					
	145/80 R 13 T	CEC/EP						
	155/70 R 13 T				C701TK	XT1		
CLIO	155/80 R 13 T						P1000	
	165/65 R 14 T	CEC/EP				XT1 TL		
	165/70 R 13 T	CEC/EP	SP10 3E			ENERGY XT1 TL		
	175/60 R 14 T					79T ENERGY XT2		
	175/65 R 14 T	CEC/EP	SP10 3E TL					
	185/55 R 15 H					XH1		
	185/60 R 14 H					MXV3-A ENERGY		
MEGANE	165/70 R 13 T				C701T 165/70	ENERGY MXT		F: 580
	175/65 R 14 T	CEC/EP				XT 1		
	175/70 R 13 T			GT 2E		ENERGY MXT		
	175/70 R 14 T			GT2			84 P2000	
	185/55 R 15 H					XH1		
	185/55 R 15 V		SP2000					
	185/60 R 15 H	ECO/CP		NCT 3		XH1		
	185/65 R 14 T		SP10 3E TL	*		MXT		
	185/65 R 15 T	CEC/EP	SP10 3E TL					
	185/70 R 14 T	CEC/EP	SP9					
	195/50 R 16 V					SXGT	P6000	
LAGUNA I	185/65 R 14 H	CH90				MXV3-A	P4000	
	185/65 R 14 T	CT22	SP9			ENERGY MXT	P2000	
	195/65 R 15 H					ENERGY MXV3-A		
	195/65 R 14 T					MXT ENERGY		
	195/65 R 15 T					MXT2		
	205/60 R 15 H				C601H			
	205/60 R 15 V					MXV3-A		
LAGUNA II	195/65 R 15 H					ENERGY XH1 TL		
	205/55 R 16 V	PREMIUM CONTACT				PILOT PRIMACY G1 TL		
	225/45 R 17 V	CONTI SPORT CONTACT						

*: MERCOS

VEHICLES	DIMENSIONS	CONTINENTAL	DUNLOP	GOODYEAR	KLEBER	MICHELIN	PIRELLI	VARIOUS Firestone Uniroyal
SAFRANE	195/60 R 15 H					MXV3A		
	195/60 R 15 V	CV 90				MXV2		
	195/65 R 15 H	ECO CP	SP220E	NCT3	C651H	ENERGY MXV3-A		
	195/65 R 15 V			NCT2		HX MXV3-A		
	205/60 R 15 V						P4000	
ESPACE	195/65 R 15 91 T				C651T	MXT		
	205/65 R 15 94 T					XT2		
	215/55 R 16 95 V					PRIMACY		
	225/55 R 16 95 V					PRIMACY		
TRAFIC	195/65 R 16 C			CARGO G 26				
	205/65 R 16 C			CARGO G 26				
	215/45 R 16 C			CARGO G 26				
MASTER	195/70 R 15		E110960		CT200R F111548	29237GA		
	215/70 R 15					AGILIS 215/R15Q		