



RENAULT All Types

Type

S/Section

| | |
|-----|---|
| XXX | X |
|-----|---|

| |
|----|
| 35 |
|----|

*This note is a supplement to Technical Note N° 2713A.
Modifications: Additional information.*

35 APPROVED TYRES MODEL 2000

- Engine: **XXX**
- Gearbox: **XXX**

TABLE OF APPROVED TYRES FOR MODEL 2000

SEE REVERSE

– Reminder of fitting instructions:

- If the tyre has a **Red Dot** on the flank, fit it on the outside.
- If the tyre does not have a **Red Dot**, fit the **DOT** marker on the outside.

– We would like to remind you that it is **VITAL** to check the tyre pressure when preparing new vehicles. In fact, the tyres are overinflated to between **2.5 and 3 bars** in the factory.

"The repair methods given by the manufacturer in this document are based on the technical specifications current when it was prepared.

The methods may be modified as a result of changes introduced by the manufacturer in the production of the various component units and accessories from which his vehicles are constructed."

All copyrights reserved by Renault.

Copying or translating, in part or in full, of this document or use of the service part reference numbering system is forbidden without the prior written authority of Renault.

| VEHICLES | DIMENSIONS | CONTINENTAL | DUNLOP | FATE | GOODYEAR | KLEBER | MICHELIN | PIRELLI | VARIOUS Firestone Uniroyal |
|---|---------------------|----------------|------------|---------|--------------|--------|------------|---------|----------------------------------|
| EXPRESS | 155 R 13 | | | | | | MTX | | |
| | 155 R 13 S | TS771F | SP ELITE | | GPS | C1 | MX | | U : RAL280 |
| | 155 R 13 T | | | | | | | | F : F570 |
| | 155/80 R 13 T | GTM5000 | | | | | | | |
| | 165/70 R 13 | | | | LX0104 | | | | |
| | 165/70 R 13 C | | | SP6C TL | | | | | |
| | 165/70 R 13 C88/86Q | LS21 | | | | CT2 | | | |
| KANGOO | 165/70 R 13 | | | | | C100 | AGILIS 41 | | |
| | 165/70 R 13 C | | SP9C | | | CT100 | AGILIS 61 | | |
| | 165/70 R 14 | ECO CTC 6204 | | | * | | AGILIS 41 | * | F : * |
| | 165/70 R 14 C | VANCO 6211 | | * | * | | AGILIS 51 | | F : * |
| | 165/75 R 14 C | | | | | | AGILIS 61 | | |
| TWINGO | 145 R 13 S | | SP9 | | | | | | |
| | 145/70 R 13 S | CT22 | SP9 | | | C70S | MXT NRJ | | |
| | 145/70 R 13 T | CT22 | SP9 E | | | | MXT NRJ | P2000 | |
| | 145/80 R 13 | | | | | C801S | MXTE | | |
| | 145/80 R 13 T | CEC/EP | | | | | | | |
| | 155/70 R 13 | | | | | C701TK | | | |
| | 155/70 R 13 T | CEC/EP CT22 | | SP9 E | | | XT1 | | |
| | 155-540 R 360 | | | | | | PAX | | |
| CLIO (except MERCOS and TURKEY) | 165/65 R 14 T | CEC/EP | | | | | XT1 TL | | |
| | 165/70 R 13 T | CEC/EP | SP10 3E | | | | NRJ XT1 TL | | |
| | 175/60 R 14 T | | | | | | NRJ XT2 | | |
| | 175/65 R 14 T | | SP10 3E TL | | | | | | |
| | 175/70 R 13 T | | | | | | NRJ XT1 TL | | |
| | 185/60 R 14 H | | | | | | MXV3-A NR | | |
| CLIO (BA0) MERCOS | 165/70 R 14 T | | | | | | XT AS | | |
| | 175/65 R 14 T | | | | GPS2 | | | | |
| CLIO (L65) TURKEY | 155/80 R 13 T | | | | | | | P1000 | |
| | 175/70 R 13 T | | | | GT2 | | | | |
| MEGANE (BA0/SA0) | 175/65 R 14 T | CEC/EP | SP9 | | | | XT1 | | |
| | 175/70 R 14 T | | | AR300 | GP52 GT2 | | | | F : F570 |
| | 185/55 R 15 H | | | | | | XH1 | | |
| | 185/55 R 15 V | | SP2000 | | | | | | |
| | 185/60 R 15 H | ECO/CP | | | | | XH1 | | |
| | 195/55 R 15 V | | | | | | | | |
| MEGANE (KA0/LA0) | 175/65 R 14 T | CEC/EP | SP9 | | GT2 | | XT1 | | |
| | 175/70 R 14 T | | | AR300* | GP52* GT2 | | | | F : F570* |
| | 185/55 R 14 V | | SP2000 | | | | | | |
| | 185/55 R 15 H | | | | | | XH1 | | |
| | 185/60 R 15 H | ECO/CP | | | NCT3 | | XH1 | | |
| MEGANE SCENIC (FA0/JA0 JA1) | 185/65 R 15 T | CEC/EP | SP10 3E TL | | | | XT2 | | |
| | 195/60 R 15 H | | | | | | XH1 | | |
| MEGANE COUPE (DA0) | 175/65 R 14 T | CEC/EP | | | | | XT1 | | |
| | 185/55 R 15 H | | SP2000 | | | | XH1 | | |
| | 195/50 R 16 V | | | | | | | | |
| MEGANE COUPE (EA0) | 175/65 R 14 T | CEC/EP | | | | | XT1 | | |
| | 185/55 R 15 V | | SP2000 | | | | XH1 | | |
| | 185/60 R 15 H | ECO/CP | | | | | XH1 | | |
| | 195/50 R 16 V | | | | | | | | |

*: MERCOS

| VEHICLES | DIMENSIONS | CONTINENTAL | DUNLOP | FATE | GOODYEAR | KLEBER | MICHELIN | PIRELLI | VARIOUS Firestone Uniroyal |
|-----------------|-------------------------|-------------|-----------|------|----------|-------------------|--------------------|---------|----------------------------------|
| LAGUNA (b56) | 195/65 R 15 H | | SP220E | | NCT 3 | | | | |
| | 195/65 R 15 T | | | | | | NRJ XT2 | | |
| | 205/60 R 15 V | | | | | | MXM | | |
| LAGUNA (K56) | 195/65 R 15 H | | SP220E | | NCT 3 | | | | |
| | 195/65 R 15 T | | | | | | NRJ XT2 | | |
| | 205/60 R 15 V | | | | | | MXM | | |
| SAFRANE | 195/65 R 15 H | | SP220E | | NCT 3 | | | | |
| | 195/65 R 15 V | | | | NCT 2 | | HX MXV3-A | | |
| | 205/60 R 15 V | | | | | | | P4000 | |
| ESPACE | 195/65 R 15 91 T | | | | | C651T | MXT | | |
| | 205/65 R 15 94 H | | | | | | MXV3A | | |
| | 205/65 R 15 94 T | | | | | | XT2 | | |
| | 215/55 R 16 95 v | | | | | | PRIMACY | | |
| | 215/65 R 15 100 V | | | | | | CXKA | | |
| | 215/65 R 15 96 T | | | | | | XT2 | | |
| | 225/55 R 16 95 V | | | | | | PRIMACY | | |
| TRAFIC | 165 R 14 C 93/91 N | | | | | CT801 | | | |
| | 165 R 14 C 93/91 P | | SP LT2 TL | | | | | | |
| | 175 R 14 96 N | | | | | | XC4S-TL | | |
| | 175 R 14 C 96/94 N | | | | | CT801 | | | |
| | 185/75 R 14 | | | | | | AGILIS 81 102 R | | |
| | 185/75 R 14 C 102/100 N | | | | | CT75 | | | |
| | 195 R 14 | | | | | | XC4S-TL 102Q | | |
| MASTER | 195/70 R 15 | | E110960 | | | CT200RF 111548 | 29237GA | | |
| | 215/70 R 15 | AL 970006 | | | | 107658 | AGILIS | | |
| | 225/70 R 15 | 97/0005 | | | | | 29240 | | |