



All Types

Type

S/Section

XXX X

10A

11A

10A TIGHTENING TORQUE OF F ENGINE CRANKSHAFT ACCESSORY PULLEY

Other subsection concerned:

11A

- Engine: **F petrol and diesel**
- Gearbox: **XXX**

Basic document:
Technical Note **3652A**


The tightening torque of the crankshaft accessories pulleys is different according to the shape of the crankshaft accessories pulley.

"The repair methods given by the manufacturer in this document are based on the technical specifications current when it was prepared.

The methods may be modified as a result of changes introduced by the manufacturer in the production of the various component units and accessories from which his vehicles are constructed".

All copyrights reserved by RENAULT.

Copying or translating, in part or in full, of this document or use of the service part reference numbering system is forbidden without the prior written authority of RENAULT.



ENGINE AND PERIPHERALS

Crankshaft accessories pulley

10A

According to the shape of the crankshaft accessories pulley equipping the petrol or diesel F engines, the tightening torque of the accessories pulley bolt is different.

| Mark of the pulley | Tightening torque |
|--------------------|----------------------------|
| 1 | 4 daNm + 110° ± 10° |
| 2 and 3 | 4 daNm + 100° ± 10° |
| 4 and 5 | 2 daNm + 115° ± 15° |

WARNING

The crankshaft accessories pulley bolt must be replaced.